

National Longitudinal Study of Adolescent Health

Child Well-being

Variable Notes

- 1 For the 999 cases who completed the interview before H2CO1 was added, if the respondent was female and did not report having had vaginal sex since Wave 1, she was skipped to the next section & did not answer this question (H2CO13). If the respondent was male, not in grades 9-13 or younger than 15, then he was skipped to the next section. Otherwise, if the respondent was male, in grades 9-13 or 15 or older, he was asked this question. For the rest of the cases who completed the interview after H2CO1 was added, all respondents reporting some kind of genital contact ("yes" to H2CO1) were asked this question. ^a
- 2 For more detailed information on relationship quality, including information on intimate partner abuse, please refer to a separate Measures Snapshot dealing exclusively with this subject:
<http://ncfmr.bgsu.edu/page78983.html>
- 3 Information regarding joint occurrences of sexual or delinquent behavior and substance use are found in the "Substance Use" section.
- 4 Questions H2JO5 and H2JO6A-E were to be asked of adolescents who had first had sexual intercourse since the Wave 1 interview. However, due to a programming error, there is missing data for 426 respondents. ^a
- 5 For more details on family and household structure, (i.e. who lives with the respondent and their relationship to him/her) please see a Measures Snapshot on Family Structure:
<http://ncfmr.bgsu.edu/page81947.html>
- 6 Valid cases are provided for sub-questions with responses of 0 Not marked / 1 Marked, 0 Not selected / 1 Selected, or 0 No / 1 Yes.
- 7 Response categories differ in the public and restricted data files.

^a Section-by-Section Guide to Specific Variables and Recodes. Wave 2 In-Home Interview Code Book Introductory Guides. National Longitudinal Study of Adolescent Health. Retrieved online at <http://www.cpc.unc.edu/projects/addhealth/codebooks/wave2> in June 2010.