



Velociraptor was a small, feathered dinosaur that lived during the Cretaceous. It has been found only in Asia and lived in desert habitats with sand dunes.

### Stats



Carnivore



Biped

# Other Cretaceous Dinosaurs








Triceratops

Corythosaurus





This dinosaur was a carnivore from the Cretaceous. It ate large dinosaurs, like Triceratops. Some scientists think that Tyrannosaurus rex could eat more than 200 pounds of meat in one bite! That's bigger than a goat!

#### Stats



Carnivore



**Biped** 

Other Cretaceous Dinosaurs








Troodon

Triceratops

Corythosaurus





This dinosaur from the Cretaceous may have been an omnivore, eating both plants and meat—as well as other things like eggs and insects.





Omnivore



Biped

**Other Cretaceous Dinosaurs** 








Tyrannosaurus

Ornithomimus





Therizinosaurus had gigantic claws. It probably used its claws to defend itself—since it was too slow and heavy to run away from danger.





Herbivore



Biped

Other Cretaceous Dinosaurs







Triceratops





This animal had a super thick skull. It may have used its tough head to butt other animals, like a modern-day ram.





Herbivore



Biped

# Other Cretaceous Dinosaurs







Tyrannosaurus

Ornithomimus





This animal had large bony plates on its back. It may have used those plates to warm up on a cold day; or cool down on a hot day.

# Stats



Herbivore



Quadruped

Other Jurassic Dinosaurs



Brachiosaurus



Allosaurus







This animal was a carnivore from the Cretaceous. It didn't have teeth, but it may have used its beak to scoop fish out of the ocean—just like a modern-day pelican!

#### Stats



Carnivore



**Biped** 

## Other Cretaceous Dinosaurs







Triceratops

Corythosaurus





Proganochelys was a turtle that lived way back in the Triassic Period alongside the first dinosaurs. It had bony armor over much of its body.





Carnivore



Biped

# Other Triassic Dinosaurs





Eoraptor

Peteinosaurus





Peteinosaurus was a flying reptile that lived during the Triassic. But it was not a dinosaur. It was a pterosaur that was about the size of many bats.









Biped


# Other Triassic Dinosaurs







Proganochelys





Parasaurolophus was a duck-billed dinosaur that lived during the Cretaceous. It had a large tube-like crest on its head that may have been used for making deep sounds.

#### Stats



Carnivore



Bip Oua

Biped and Quadruped

## **Other Cretaceous Dinosaurs**







Triceratops

Corythosaurus





This little dinosaur used its arms and snout to dig burrows, and then raised its young in these underground shelters. Burrows provided protection from predators, as well as from extremes of cold or heat.





Herbivore



Biped

# **Other Cretaceous Dinosaurs**








Tyrannosaurus

Triceratops





This dinosaur from the Cretaceous may have been an omnivore. That means it could have eaten plants—like fruits and leaves and animals like insects, small reptiles and mammals, maybe even eggs.





Herbivore



Biped

Other Cretaceous Dinosaurs







Triceratops

Corythosaurus





This tiny, feathered dinosaur had four wings, one on each of its front limbs and back limbs. However, it couldn't fly. Instead, it probably used its wings to glide from tree to tree, like a flying squirrel.

#### Stats



Carnivore



Biped

## **Other Cretaceous Dinosaurs**








Triceratops

Corythosaurus





This Jurassic dinosaur was small, only about 3 feet long—maybe smaller than you! It had long legs and could run fast to get away from predators.





Herbivore



Biped

Other Jurassic Dinosaurs



Brachiosaurus



Allosaurus





Iguanodon was a large, plant-eating dinosaur that lived in Europe during the Cretaceous. It was the first dinosaur ever discovered!

## Stats



Herbivore



Biped and Quadruped

## Other Cretaceous Dinosaurs








Triceratops

Corythosaurus





Hesperornis did not fly. Instead, this bird lived in the water and was an expert diver and swimmer. They used their tiny flipper-like wings and powerful legs and feet to swim underwater.

### Stats



Carnivore



**Biped** 

# Other Cretaceous Dinosaurs







Triceratops

Corythosaurus





Giganotosaurus is one of the largest known meateating dinosaurs, more than 40 feet long. This Cretaceous giant is known only from Argentina, in South America.

#### Stats



Carnivore



Biped

Other Cretaceous Dinosaurs








Triceratops

Corythosaurus





Adocus was a large Cretaceous turtle with a smooth shell. It was probably a good swimmer that lived most of its life in the water.

## Stats



Omnivore



Quadruped

# Other Cretaceous Dinosaurs








Triceratops

Corythosaurus





This big meat-eater from the Jurassic of North America had a small horn over each eye. The horns may have helped Allosaurus recognize others of its kind.

#### Stats



Carnivore




Biped

Other Jurassic Dinosaurs



iosaurus Stegosaurus

Brachiosaurus





Amargasaurus was a giant sauropod with two rows of spines down its back. The spines may have been attached to one another by skin, creating the appearance of a huge sail on the back of this dinosaur.

#### Stats



Herbivore



Quadruped

**Other Cretaceous Dinosaurs** 








Tyrannosaurus

Triceratops





Ankylosaurus was an armored dinosaur from the Cretaceous. The bony club at the end of its tail may have been used as a weapon to fend off attacks from predators like Tyrannosaurus rex.

#### Stats



Herbivore



Quadruped

## Other Cretaceous Dinosaurs








Triceratops

Corythosaurus





Archaeopteryx is a feathered carnivore from the Jurassic period. Like modern birds, it had feathers and lightweight bones. But like dinosaurs, it had teeth and a long, bony tail.

#### Stats







Biped


Other Jurassic Dinosaurs







Stegosaurus





This dinosaur was an herbivore from the Cretaceous. Even though it was taller than an elephant, it probably fed on leaves close to the ground.

#### Stats



Herbivore



Quadruped

Other Cretaceous Dinosaurs








Triceratops

Corythosaurus





This dinosaur was an herbivore from the Jurassic. With its head perched on such a long neck, it probably ate leaves high up in the trees.





Herbivore



Quadruped

Other Jurassic Dinosaurs



Allosaurus



Stegosaurus





Confuciusornis was a crow-sized bird that lived during the Cretaceous. It had a toothless beak and a very long tail of feathers that may have been colorful during life.

#### Stats



Omnivore



**Biped** 

**Other Cretaceous Dinosaurs** 








Triceratops

Corythosaurus





This dinosaur was an herbivore from the Cretaceous. We don't know for sure, but it may have eaten needles from conifer trees or leaves from flowering plants.





Herbivore



Biped

# Other Cretaceous Dinosaurs








Triceratops

Troodon





This crested dinosaur was discovered in Antarctica. But during the Mesozoic, the age of dinosaurs, Antarctica was a much warmer place, with lush green forests and plenty of dinosaurs and other animals.

### Stats







Biped


Other Jurassic Dinosaurs







Stegosaurus





Deinonychus was a dinosaur around four feet tall—just about your size! It was a pretty fast runner, with a large, curved claw on the second toe of each foot.

#### Stats



Carnivore



**Biped** 

Other Cretaceous Dinosaurs








Triceratops

Corythosaurus





Like Triceratops, Einiosaurus is a horned dinosaur, or ceratopsian. It had a large forward-curving horn over the nose and a pair of big spikes pointing backward from its bony frill.

### Stats



Herbivore



Quadruped

Other Cretaceous Dinosaurs








Triceratops

Corythosaurus





Eoraptor lived during the Triassic Period, and is one of the oldest known dinosaurs. It belongs to the group of dinosaurs called the theropods.





Carnivore



Biped


# Other Triassic Dinosaurs



Peteinosaurus



Proganochelys





Kentrosaurus had some plates and spikes on its back, including a large spike over each shoulder that may have been used for defense against carnivores.

### Stats



Herbivore



Quadruped

## **Other Cretaceous Dinosaurs**








Triceratops

Corythosaurus





Paleobatrachus was a large frog that lived in the water. By comparing the bones of this ancient frog to those of frogs living today, paleontologists think that it could hold its breath for a long time.

#### Stats



Carnivore



Quadruped

**Other Cretaceous Dinosaurs** 



Triceratops







This giant meat-eating dinosaur lived in Africa during the Cretaceous. It had a long snout and tall spines along its back.

## Stats



Carnivore



Biped

Other Cretaceous Dinosaurs







Triceratops

Corythosaurus





This dinosaur was an herbivore from the Cretaceous. It used its tough beak to eat low-lying green plants. With hundreds of teeth in its jaws, this animal sliced its food into bite sized chunks.

## Stats



Herbivore



Quadruped

Other Cretaceous Dinosaurs







Tyrannosaurus

Ornithomimus





Avisaurus was a bird that lived alongside many giant dinosaurs during the Cretaceous. It belongs to a group of ancient birds called Enantiornithines.





Carnivore



Biped

## Other Cretaceous Dinosaurs







Triceratops

Troodon





Chirostenotes was a feathered dinosaur that lived in North America during the Cretaceous. Its name means "narrow hand" because it had three long, clawed fingers on each hand.

## Stats



Omnivore



Biped

**Other Cretaceous Dinosaurs** 







Tyrannosaurus

Ornithomimus





Cimolestes is a mammal that lived in the Cretaceous. It was only eight inches long - about the size of a rat - which is typical of Mesozoic mammals.

#### Stats



Carnivore



Quadruped

### Other Cretaceous Dinosaurs








Triceratops

Troodon





This huge Cretaceous shark grew up to 24 feet long - about the size of great white sharks today.





Carnivore



Marine

**Other Cretaceous Dinosaurs** 







Tyrannosaurus

Ornithomimus





Daspletosaurus was a carnivorous dinosaur with short arms that lived in North America during the Cretaceous. It is closely related to its much larger cousin, Tyrannosaurus rex.

#### Stats



Carnivore



Biped

Other Cretaceous Dinosaurs








Tyrannosaurus

Ornithomimus





Elasmosaurus belongs to a group of reptiles called plesiosaurs. It had four large flippers and a long neck that measured half of its body length!

#### Stats



Carnivore



Marine

## **Other Cretaceous Dinosaurs**







Triceratops

Troodon





Enantiornithines were some of the most common birds during the age of dinosaurs. Many were as small as sparrows and others were as big as turkeys. Unlike modern birds, most Enantiornithines had teeth.

#### Stats



Omnivore



**Biped** 

**Other Cretaceous Dinosaurs** 








Triceratops

Troodon





Enantiornithines were some of the most common birds during the age of dinosaurs. Many were as small as sparrows and others were as big as turkeys. Unlike modern birds, most Enantiornithines had teeth.

#### Stats



Herbivore



Quadruped

**Other Cretaceous Dinosaurs** 








Tyrannosaurus

Ornithomimus





This duck-billed dinosaur was named the good mother because some paleontologists think that it looked after its babies in the nest after they hatched from eggs.

#### Stats



Herbivore



Biped and Quadruped

**Other Cretaceous Dinosaurs** 








Tyrannosaurus

Ornithomimus





Masiakasaurus, found only from the island of Madagascar, was a carnivorous dinosaur about the size of a big dog. It had strange jaws with long, forward pointing teeth up front and lots of smaller teeth.





Carnivore



Biped

Other Cretaceous Dinosaurs







Triceratops

Troodon





Michelinoceras was an ancient cephalopod, a close relative of squids that had many arms, or tentacles. But unlike squids, this Triassic cephalopod lived in a long, straight shell.





Carnivore



Marine


## Other Triassic Dinosaurs




Peteinosaurus



Proganochelys





Pliosaurus was a huge reptile that lived in the Jurassic seas. Although it wasn't a dinosaur, it was one of the biggest carnivores around, measuring up to 40 feet long.

#### Stats



Carnivore



Marine


# Other Jurassic Dinosaurs



Brachiosaurus



Stegosaurus





This large flying animal from the Cretaceous probably had exellent eyesight. Like Tiny Pteranodon, it may have spotted its meals from the air.





Carnivore



Biped

**Other Cretaceous Dinosaurs** 







Tyrannosaurus

Ornithomimus





Styracosaurus was a relatively large dinosaur, that grew to about 18 feet and weighed almost 3 tons. Like modern day rhinos, this dinosaur probably travelled in herds for protection.

#### Stats



Herbivore



Quadruped

Other Jurassic Dinosaurs








Tyrannosaurus

Ornithomimus





Like its cousin Quetzalcoatlus, Zhejiangopterus was a giant flying reptile, or pterosaur. But the fossils of Quetzalcoatlus are known only from North America, and Zhejiangopterus bones have only been found in Asia.

#### Stats



Carnivore



Biped

**Other Cretaceous Dinosaurs** 







Tyrannosaurus

Ornithomimus