

OHIO CAT RENTAL RENTAL SOLUTIONS



**Toledo CAT Rental Store
25970 State Route 25
Perrysburg OH 43551**

RENTAL SALES REPRESENTATIVE:

Kandy Buhl-Raney

Office: 419-872-7368

kbuhl-raney@OhioCAT.com

**State of Ohio Contract# STS515 Schedule 800525
Contract# 6125**

Rent it here.

Ohio CAT. **Your FIRST Choice.**



www.ohiocatrentalstore.com

THE RIGHT SOLUTION.



RIGHT NOW.



WHY RENT WITH THE OHIO CAT RENTAL STORE?

EQUIPMENT | Our fleet is loaded with the newest, most reliable equipment in the industry. The fleet is rigorously maintained by trained Service Technicians prior to every rental so you receive productive and reliable equipment.

PEOPLE | Ohio CAT employees are among the most experienced and knowledgeable in the industry. Have a question? We can answer it. Have a special request? Not a problem. With Ohio CAT, you'll get more than great equipment; you'll get great advice and assistance.

FACILITIES | With 10 full service locations, we provide fast, quality service with specially trained Cat® and allied product service technicians...your place or ours.

CAPABILITIES | Any piece of equipment, big or small, Ohio CAT is ready and waiting for you. We have you covered – regardless of your rental needs. Our large inventory and nationwide network means timesaving delivery of the equipment you need.

RENT, RENT-TO-OWN, LEASE, FINANCE, PURCHASE | You can choose from a huge selection of well-maintained, top quality new and used name-brand equipment...with low hours and competitive prices...and we can put together a deal that works for you.

COMMITMENT | Some places claim to be the biggest, but when you consider all that Ohio CAT has to offer...

- Locally owned and operated
- Legendary Caterpillar name and product support
- Best maintained fleet
- Largest dedicated inventory in Ohio
- On call 24/7

...plus, a sincere interest in your success, your bottom-line...you'll realize that we are the undisputed leader in rental services.

EARTH MOVING MACHINES & ATTACHMENTS

EXCAVATORS



MODEL	NET POWER		OPERATING WEIGHT LB	MAX REACH/DEPTH	
	HP	kW		FT-IN	M
300.9	13	13.7	2,170	10'1"/5'8"	3.07/1.73
301.4	17.7	13.2	3,241	12'7'3"	3.7/2.2
301.7	17.7	13.2	3,810	12'1"/7'2"	3.7/2.2
302.4	20.7	15.2	5,115	13'2"/7'9"	4/2.4
302.7	20.7	15.2	5,681	15'1"/8'10"	4.61/2.69
303.5	30	22	7,800	17'10"/10'4"	5.4/3.2
304	39	29	8,500	18'4"/11'3"	5.6/3.4
305	42	31	11,012	19'7"/12'1"	6.0/3.7
305.5	47	35	11,696	20'3"/12'8"	6.2/3.9
308	55.6	41.5	18,519	25'0"/15'6"	7.6/4.7
312	90	67	30,090	28'3"/19'10"	8.6/6.0
314	90	67	32,060	28'4"/19'6"	8.6/5.9
316	115	86	38,470	30'3"/21'7"	9.2/6.6
320	148	110	47,950	35'2"/25'1"	9.86/6.72
321	148	110	53,704	32'1"/22'0"	9.75/6.68
324	202	151	59,300	33'2"/22'4"	10.11/6.81
328	204	152	76,500	34'8"/22'8"	10.56/6.92
329	240	179	68,300	35'23'9"	10.68/7.25
336	316	236	83,100	38'5"/26'10"	11.72/8.19
349	425	317	109,100	39'9"/26'10"	12.12/8.18
374	476	355	156,819	46'8"/31'8"	14.23/9.66
390	523	390	194,500	56'7"/38'9"	17.25/11.81

Available Work Tools & Attachments: Demolition Hammer, Plate Compactor, Grapple, Mechanical Thumb, Multi Processor and a variety of bucket sizes.

SKID STEER LOADERS



MODEL	POWER		OPERATING WEIGHT LB	OPERATING CAPACITY LB
	HP	kW		
226	56	42	5,822	1,500
236	71	53	7,007	1,950
242	71	53	7,008	2,150
246	73	54	7,480	2,150
252	71	53	7,861	2,650
256	82	61	7,665	2,350
262	82	61	7,968	2,700
272	90	67	8,362	3,250

Available Work Tools & Attachments: Hydraulic Hammer, Auger, Brush Cutter, Bucket, Forks, Broom, Rockhound, Cold Planer, Trencher, Harley Rake, Grapple, Snow Blower, Snow Blade, Snow Box, Mulcher High Flow models available.

MULTI TERRAIN LOADERS



MODEL	POWER		OPERATING WEIGHT LB	OPERATING CAPACITY LB	GROUND PRESSURE	
	HP	kW			PSI	kPa
247	56	42	6,997	2,150	4.0	27.3
257	71	53	8,060	2,675	4.5	31
277	82	61	9,495	3,200	3.7	25.5
287	82	61	9,958	3,800	3.9	26.9

Available Work Tools & Attachments: Hydraulic Hammer, Auger, Brush Cutter, Bucket, Forks, Broom, Rockhound, Cold Planer, Trencher, Harley Rake, Grapple, Snow Blower, Snow Blade, Snow Box, Mulcher High Flow models available.

TELEHANDLERS & FORKLIFTS



MODEL	POWER		OPERATING WEIGHT LB	RATED CAPACITY LB	LIFT HEIGHT	
	HP	kW			FT-IN	M
TH255	84	63	10,800	5,500	18'4"	5.6
TL642	99	74.5	20,240	6,500	42'0"	12.8
TL943	99	74.5	26,050	9,000	43'0"	13.1
TL1055	125	93.2	34,910	10,000	55'0"	16.8
TL1255	141	105.1	35,650	12,000	54'6"	16.6
TH407	101/126	74.5/93.1	16,980	8,150	24'0"	7.3
TH514	101	74.5	23,722	11,000	45'0"	13.7
CAT Forklift P6000			11,039	6,000	15'6"	4.7

COMPACT TRACK LOADERS



MODEL	POWER		OPERATING WEIGHT LB	OPERATING CAPACITY* LB	GROUND PRESSURE	
	HP	kW			PSI	kPa
259	71	53	8,934	2,950	6.0	41.2
279	82	61	9,892	3,200	4.0	27.2
289	82	61	10,365	3,850	4.1	28.5
299	90	67	10,730	4,150	4.3	29.6

* At 50% tipping load

Available Work Tools & Attachments: Hydraulic Hammer, Auger, Brush Cutter, Bucket, Forks, Broom, Rockhound, Cold Planer, Trencher, Harley Rake, Grapple, Snow Blower, Snow Blade, Snow Box, Mulcher

TRACK-TYPE TRACTORS



MODEL	POWER		OPERATING WEIGHT LB	BLADE
	HP	kW		
D3K2 XL	74	55.2	17,185	VPAT
D4K2 XL	84	62.6	17,961	VPAT
D4K2 LGP	84	62.6	18,742	VPAT
D5K2 XL	96	71.6	20,741	VPAT
D5K2 LGP	96	71.6	21,347	VPAT
D6K2 XL	125	93.2	28,409	VPAT
D6K2 LGP	125	93.2	29,690	VPAT
D6N XL	150	111.8	36,497	VPAT, SU
D6N LGP	150	111.8	39,112	VPAT
D6T (XL or LGP)	200	149	44,420-48,024	S, SU, A, VPAT
D7E XL	235	175	56,669	S, SU, U, A
D7E LGP	235	175	56,669	S, SU, U, A
D8T	310	231	84,850	SU, U, A
D9T	410	306	105,600	SU, U

Accugrade models available. Some winch and ripper ready.



TRACK-TYPE LOADERS

MODEL	POWER		OPERATING WEIGHT LB	BUCKET CAPACITY	
	HP	kW		YD ³	M ³
953	148	110	34,209	2.42	1.85
963	189	141	44,577	3.2	2.45



WHEEL TRACTOR SCRAPERS

MODEL	POWER		CAPACITY		TOP SPEED	
	HP	kW	STRUCK/HEAPED YD ³	M ³	MPH	KM/H
627	(T) 330/365 (S) 239/266	246/272 178/198	16/22	12/17	32	51



ARTICULATED TRUCKS

MODEL	POWER		OP WEIGHT EMPTY LB	BODY CAPACITY	
	HP	kW		TONS	M/TON
725	304	227	49,075	26	23.6
730	321	239	50,375	31	28.1
735	447	333	71,591	36	32.7
740	484	361	75,824	43.5	39.5
725 Water Wagon				5,000 Gallon	
Hydrema 912HM	176	131	17,747	10,000 kg payload capacity	

MOTOR GRADERS



MODEL	POWER		OPTIONAL		OP WEIGHT LB	STANDARD BLADE LENGTH	
	STANDARD HP	kW	HP	kW		FT	MM
120M	138-153	103-114	138-182	103-136	31,891	12'	3658
12M	158-173	118-129	158-193	118-144	32,016	12'	3658
140M	183-208	136-155	183-233	136-174	35,708	12'	3658
14M	259-274	193-204	259-294	193-219	46,796	14'	4267
Noram 65	114				16,800	10'	

WHEEL LOADERS & INTEGRATED TOOLCARRIERS



MODEL	POWER		OPERATING WEIGHT LB	BUCKET CAPACITY	
	HP	kW		YD ³	M ³
906	70	52	12,412	1.18	0.9
907	70	52	12,809	1.30	1.0
908	80	59	14,252	1.40	1.1
910	97	92	15,714	1.70	1.3
924	139	104	25,644	2.2-3.6	1.7-2.8
930	161	120	28,725	2.6-6.5	2.1-5.0
938	180	134	33,190	3.0-7.2	2.3-5.5
950	197	147	40,435	3.25-12.0	2.5-9.20
966	276	206	51,176	3.25-12.0	2.5-9.20
972	288	215	57,770	3.75-13.0	2.90-9.90
980	349	260	67,294	5.25-16	4.0-12.20
988	501	373	110,549	8.3-10.0	6.4-7.7
IT14	96	72	18,629	1.57-1.83	1.2-1.4

Available Work Tools & Attachments: Variety of Forks, Brooms and Buckets.



BACKHOE LOADERS

MODEL	POWER		OPERATING WEIGHT LB	DIG DEPTH FT-IN
	HP	kW		
416	88	65	14,960	14'4"
420/420 IT	93	69	15,201	14'4"
430/430 IT	102	76	16,066	15'5"



ASPHALT COMPACTORS

MODEL	GROSS POWER		OPERATING WEIGHT LB	DRUM WIDTH	
	HP	kW		IN	MM
CB14 XW	21.6	16.1	4,057	39"	1000
CB24	33	24.6	5,952	47"	1200
CB54	137	102	23,818	67"	1700
CB54 XW	137	102	26,230	79"	2000

GENERAL CONSTRUCTION EQUIPMENT

SOIL COMPACTORS



MODEL	POWER		OPERATING WEIGHT LB	BLADE WIDTH OVER END BITS	
	HP	KW		FT-IN	MM
815	232	173	47,877	12'4"	3761
825	354	264	72,164	15'1"	4628

SINGLE DRUM SOIL COMPACTORS



MODEL	POWER		OPERATING WEIGHT LB	DRUM WIDTH	
	HP	KW		FT-IN	MM
CS323	83	62	9,680	50"	1270
CP323	83	62	10,440	50"	1270
CS44	100	75	15,961	66"	1676
CP44	100	75	16,832	66"	1676
CS56	156	116	25,885	84"	2134
CP56	156	116	25,765	84"	2134
RT82 Trench Roller (Pad Foot)				33"	



SCISSOR LIFTS

DESCRIPTION	WORKING HEIGHT	DESCRIPTION	WORKING HEIGHT
19' Electric Scissor	25'	32' Electric Scissor	38'
20' Electric Scissor	26'	32' Rough Terrain Scissor	38'
26' Electric Scissor	32'	43' Rough Terrain Scissor	49'
26' Wide Electric Scissor	32'		

TRENCH SHORING EQUIPMENT



ITEM	DIMENSIONS
Steel Trench Boxes	8' x 12', 16', 20', 24'
Bedding Boxes	7, 9 and 12 yd ³
Manhole Boxes	8', 10', 12'
Aluminum Boxes	6' x 8', 8' x 8', 8'x10'
Street Plates	Various sizes

Trench boxes available in stacker units.

BOOM LIFTS



DESCRIPTION	WORKING HEIGHT	DESCRIPTION	WORKING HEIGHT
30' Electric Articulated Boom	36'	40' Telescopic Boom	46'
34' Electric Articulated Boom	40'	60' Telescopic Boom	66'
40' Electric Articulated Boom	46'	80' Telescopic Boom	86'
45' Electric Articulated Boom	51'	85' Telescopic Boom	91'
34' Articulating Boom	34'	65'/ 66' Telescopic Boom	71-72'
45' Articulated Boom	51'	120' Telescopic Boom	126'
60' Articulated Boom	66'	135' SJP w/SkyPower	141'
80' Articulated Boom	86'	150' Telescopic Boom	150'


Available with 4-wheel drive, Diesel, Dual Fuel. SkyPower and Welder available on select models.

ONE MAN LIFTS/VERTICAL MAST LIFT



DESCRIPTION	WORKING HEIGHT
GR15	20' 8"
AWP30	30' Platform

LIGHT TOWERS



MODEL	HEIGHT	LIGHTS	TANK CAP	RUN TIME	WATTAGE
NL Pro II™	30'	4	30 gal	65 hours	1250
ML20	30'	4	50 gal	100 hours	1250
MLT3060	30'	4	30 gal	60 hours	1000

TRENCHERS — RIDE ON



TYPE	HP	OPERATING WEIGHT
RT450 Rubber Tired	46	3,380
RTX450 Rubber Track	41	4,050

GENERATORS



DESCRIPTION
5.6kW through 37kW

WELDERS TOWABLE

TYPE	DESCRIPTION
Welders (Towable)	400 Amp



PUMPS

TYPE	DESCRIPTION
Towable Water Pumps	2" - 12" pumps
Submersible Pumps	2" - 4" pumps
Trash Pumps	2" - 4" pumps
Dewatering Pumps	2" - 12" pumps
Electric Drive Self Priming Pumps	3" - 6" pumps
Mud Pumps	4" & 6" pumps
Hydraulic Submersible Pumps	6" pumps
Electric Submersible Pumps	3" - 8" pumps
Submersible Pump	2" - 6" hoses
Trash Pump	2" - 6" hoses



MISCELLANEOUS

Automated Flaggers	Plate Tamps
Concrete Buggies	Rammers
Concrete Mixers	Snow Boxes
Concrete Vibrators	Straw Blowers
Crushing / Screening Buckets	Trailers
Cut-Off Saws	Trowels
Electric Breakers	Utility Carts
Equipment Mats	Vacuum Excavation System
Ground Heaters	Wood Chippers
Mortar Mixers	

AIR COMPRESSORS

TYPE	DESCRIPTION
Atlas Copco 185 CFM	Air Compressor
Atlas Copco 375 CFM	Air Compressor
Atlas Copco 750 CFM	Air Compressor
20 lb	Chipping Hammer
30 lb	Jack Hammer
60 lb	Jack Hammer



Additional compressors available through Ohio CAT's Power Systems Division

TRUCKS

TYPE	DESCRIPTION
Water Truck	2,000 - 4,000 gallons
Dump Truck	6 yd³, manual 6 speed
Stake Bed Truck	F550, crew cab, 4x4



BROCE BROOMS

MODEL	HP
BB250B	33
CR350 (Ride On)	82
MK-1	97



RENTAL POWER

POWER

TYPE	DESCRIPTION
30kW	300kW
40kW	400kW
80kW	800kW
100kW	1250kW
150kW	1750kW
230kW	2000kW



CHILLERS

TYPE	DESCRIPTION
30 Ton Air Cooled	250 Ton Air Cooled
50 Ton Air Cooled	300 Ton Air Cooled
100 Ton Air Cooled	400 Ton Air Cooled
150 Ton Air Cooled	500 Ton Water Cooled
200 Ton Air Cooled	525 Ton Water Cooled



HEATERS

TYPE	DESCRIPTION
Direct Fired	Make-up Air
Electric	Maxi Heater
Indirect Fired	



AIR CONDITIONERS

TYPE	DESCRIPTION
1-5 Ton	30 Ton
12 Ton	30 Ton (Optional Heater Attachment)
20 Ton (Entertainment Unit)	



AIR COMPRESSORS

TYPE	DESCRIPTION
375 cfm Diesel	1600 cfm Diesel
750 cfm Diesel	1550 Oil-Free
900 cfm Diesel	



Your Ohio Cat Rental Store Sales Representative:

**Toledo CAT Rental Store
25970 State Route 25
Perrysburg OH 43551**

**YOUR RENTAL REP:
Kandy Buhl-Raney**
Rental Sales Representative
Office: 419-872-7368
kbuhl-raney@OhioCAT.com

Contract# 6125



www.ohiocatrentalstore.com